

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	2004/0002318	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/11/30 08:56
L3	3	10/452192	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/11/30 08:58
L4	2	09/821367	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/11/30 09:01
L5	1	"7035341"	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/11/30 09:01
S1	215	Image rejection.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/28 10:51
S2	19	S1 and ((calibrat\$3 or train\$3 or initializ\$5) with (tone or frequency or signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/28 13:07
S4	18	S2 and oscillator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/28 11:10
S5	13	S4 and switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/28 11:11
S7	4	((apparatus and method) near4 (digital image correction) near4 receiver).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/28 13:06
S8	5359	375/219,220,221,222,327.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/28 13:06

## EAST Search History

S9	1404	S8 and oscillator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/28 13:07
S10	635	S9 and (PLL or (phase near2 lock near2 loop))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/28 13:07
S11	187	S10 and ((calibrat\$3 or train\$3 or initializ\$5) with (tone or frequency or signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/28 13:08
S12	122	S11 and switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/28 13:08
S13	7	S12 and (image near2 reject\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/28 13:28
S14	2	09/821367	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/28 14:21
S16	29	S8 and (calibration near2 mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/28 14:53
S17	10	("4717894"   "4802191"   "5623226"   "5923214"   "5937000"   "5956624"   "6650868").PN. OR ("6760577").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/11/28 16:41
S18	17	ripple divider	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/11/30 08:55

## EAST Search History

S19	6288	((voltage control oscillator) or VCO) with (divider or splitter)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/11/29 12:35
S20	1114	S19 and transceiver	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/11/29 12:35
S21	163	S20 and ((pilot or initializ\$5 or train\$3) near3 (tone or signal))	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/11/29 12:39
S22	2	S21 and (image rejection)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/11/29 12:40
S23	1886	image rejection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 12:57
S24	300	S23 and (oscillator with divider)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 12:57
S25	163	S24 and transceiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 12:57
S26	39	S25 and ((train\$3 or pilot or initializ\$5 or calibrat\$3) near3 (tone or signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 14:26
S27	35	S23 and calibration mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 15:12
S28	67	receiver and ((calibrat\$3 or train\$3) near3 mode) and I and Q and (image rejection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 15:15

## EAST Search History

S29	64	S28 and switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 16:43
S30	1	10/673631	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/29 16:43